L Number	Hits	Search Text	DB	Time stamp
2	202	600/372-373,377.ccls. and (electrical adj (contact or pad))	USPAT;	2003/03/21 17:12
			EPO; JPO;	
			DERWENT	
3	62	204/403.1.ccls. and (electrical adj (contact or pad))	USPAT;	2003/03/21 17:36
			EPO; JPO;	
			DERWENT	
4	18	(600/\$.ccls. 604/\$.ccls.) and ((retaining adj member) with (cable or lead	USPAT;	2003/03/21 17:40
		or wire)) and catheter	EPO; JPO;	
			DERWENT	
_	123	600/\$.ccls, and (method with (making or fabricating) with catheter)	USPAT;	2003/03/20 14:03
			EPO; JPO;	
			DERWENT	
-	11	600/\$.ccls. and (microminiature with sensor)	USPAT	2003/03/19 19:11
_	14	microminiature adj sensor	USPAT	2003/03/19 15:23
_	1	(600/\$.ccls. and 204/\$.ccls.) and (sensor or electrode) and substrate and	USPAT;	2003/03/19 19:54
		(signal with condition\$ with circuit)	EPO; JPO;	
			DERWENT	
_	10	(600/\$.ccls. 204/\$.ccls.) and (sensor or electrode) and catheter and	USPAT;	2003/03/19 21:04
		lumen and (leads or wires) and opening and sealant and (circuit or	EPO; JPO;	
		circuitry)	DERWENT	
-	20	600/\$.ccls. and (pressure adj sensor) and ((catheter or tube) with lumen	USPAT;	2003/03/19 22:27
		with wall) and (wall with (opening or aperture or vent or hole)) and	EPO; JPO;	
		· (sealant or sealing or seal)	DERWENT	
-	59	600/\$.ccls. and ((pressure with sensor) same openings same (multiple or	USPAT;	2003/03/19 22:42
		several or two or plurality) same (catheter or tube or body))	EPO; JPO;	
			DERWENT	
-	1	(solder with (((ball or wire) adj bond) or (weld adj joint)) with	USPAT;	2003/03/19 23:15
		equivalent)	EPO; JPO;	
			DERWENT	
-	16	(600/\$.ccls. 204/\$.ccls.) and (solder with (((ball or wire) adj bond) or	USPAT;	2003/03/19 23:20
		(weld adj joint)))	EPO; JPO;	
			DERWENT	
-	31	(600/\$.ccls. 204/\$.ccls.) and (solder with conductive with adhesive)	USPAT;	2003/03/19 23:36
			EPO; JPO;	
			DERWENT	
-	75	(solder with (ball adj bond)) same (circuit or wire)	USPAT;	2003/03/19 23:37
			EPO; JPO;	
			DERWENT	
-	3	(600/\$.ccls, 204/\$.ccls, 604/\$.ccls, 607/\$.ccls, 128/\$.ccls.) and (solder	USPAT;	2003/03/19 23:41
		with ball with bond)	EPO; JPO;	
			DERWENT	
_	56	600/\$.ccls. and ((electrode or sensor) with body with arms) and	USPAT;	2003/03/20 15:16
		pressure and (catheter or tube)	EPO; JPO;	
			DERWENT	
-	16	600/\$.ccls. and (electrode or sensor) and (flexible with substrate) and	USPAT;.	2003/03/20 15:28
		(body with arm)	EPO; JPO;	
			DERWENT	

	247	(600/\$.ccls. 204/400,403.1.ccls.) and (flexible with (substrate or layer))	USPAT;	2003/03/20 16:05
	247	and (pressure with (transducer or sensor or electrode)) and ((contact or	EPO; JPO;	2003/03/20 10:03
		pad or wire or leady with electricaly	DERWENT	
_	20	("3277718" "3315201" "3417361" "3480003" "3550583"	USPAT	2003/03/20 15:54
	20	"3553625" "3710781" "3946724" "4023562" "4274423"		
		"4665925" "4722348" "4771782" "4878898" "4941473"		
		"5207103" "5352223" "5431628" "5564434" "5688267").PN.		
_	2	600/\$.ccls. and (multiple with pressure with (sensor or transducer) with	USPAT;	2003/03/20 16:08
	_	(opening or hole or vent)) and catheter	EPO; JPO;	
		(-1	DERWENT	:
_	15	600/\$.ccls. and ((two or several) with pressure with (sensor or	USPAT;	2003/03/20 16:15
		transducer) with (opening or hole or vent)) and catheter	EPO; JPO;	
		, (1 0 //	DERWENT	
	33	600/\$.ccls. and ((two or several) with pressure with (sensors or	USPAT;	2003/03/20 16:44
		transducers) with (catheter or tube))	EPO; JPO;	
			DERWENT	
_	42	600/\$.ccls. and (catheter or tube) and (lumen same (channel with (lead	USPAT;	2003/03/20 17:12
		or wire))) and (sensor or electrode)	EPO; JPO;	
		<i>"</i> "	DERWENT	= . ly
_	4	("5311875" "5825293" "5853005" "6070098").PN.	USPAT	2003/03/20 17:14
_	132	600/\$.ccls. and (pressure adj (sensor or transducer or electrode)) and	USPAT;	2003/03/20 17:18
		(catheter or tube) and ((wires or leads or cables) with (lumen or channel	EPO; JPO;	
:		or lumens or channels))	DERWENT	
-	1	600/\$.ccls. and (ball with bond with solder)	USPAT;	2003/03/20 17:54
			EPO; JPO;	
			DERWENT	
-	3	600/\$.ccls. and (ball adj bond)	USPAT;	2003/03/20 17:55
			EPO; JPO;	
			DERWENT	
-	12	600/\$.ccls. and (ball with bond)	USPAT;	2003/03/20 18:06
			EPO; JPO;	
			DERWENT	
-	39	600/\$.ccls, and (arm with (contact or pad)) and (sensor with body with	USPAT;	2003/03/20 18:08
		amıs)	EPO; JPO;	
			DERWENT	
-	408	600/\$.ccls. and ((cable or wire or leads) with ribbon)	USPAT;	2003/03/20 18:09
			EPO; JPO;	
			DERWENT	
-	23	600/\$.ccls. and ((cable or wire or leads) with ribbon) and (pressure adj	USPAT;	2003/03/20 18:18
		sensor)	EPO; JPO;	
	_		DERWENT	2002/02/20 19 22
	5	600/\$.ccls. and catheter and ((hole or opening or aperture) with sealant	USPAT;	2003/03/20 18:32
		with sensor)	EPO; JPO;	
	,	hall adi hand, with saldar adi hand	DERWENT USPAT;	2003/03/20 18:35
_	4	(ball adj bond) with (solder adj bond)	EPO; JPO;	2003/03/20 10:33
			DERWENT	
	21	(co adj extrud\$) with (wire or lead or cable) with (catheter or tube)	USPAT;	2003/03/20 18:48
_	21	(co any extranto) with (which of lean of cable) with (catheter of tube)	EPO; JPO;	2003/03/20 10:40
			DERWENT	
	1		DELMEINI	1

		(0000 1 0000000 1 1 1 1 1 1 1 1	LICDATE	2002/02/20 10 52
-	27	(600/\$.ccls. 204/403.1.ccls.) and (sensor with shape with substrate)	USPAT;	2003/03/20 18:53
			EPO; JPO;	
	_		DERWENT	2002/02/20 10 50
-	5	("4443730" "5235989" "5353793" "6290654" "6375621"	USPAT	2003/03/20 18:58
		"2001/0047127" ₎ .PN.		
-	0	6517497.URPN.	USPAT	2003/03/20 18:58
-	1	600/\$.ccls. and catheter and (channel with (sub adj channel))	USPAT;	2003/03/20 18:59
			EPO; JPO;	
			DERWENT	
-	53	600/\$.ccls. and ((catheter or tube or body) same ((wires or cables or	USPAT;	2003/03/20 19:01
		leads) with separate with (channel or lumen or lumens or channels)))	EPO; JPO;	
			DERWENT	
-	16	600/\$.ccls. and ((catheter or tube) same (lumen or channel) same	USPAT;	2003/03/20 19:09
		((retaining adj member) or clip) same (wire or lead or cable)) and	EPO; JPO;	
		(sensor or electrode)	DERWENT	
-	23	("4608986" "4640983" "4790831" "4873308" "4964414"	USPAT	2003/03/20 19:05
		"5007435" "5109077" "5133742" "5246014" "5324321"		
		"5419921" "5483022" "5545203" "5546674" "5584873"		
		"5676694" "5760341" "5769077" "5796044" "5935159"		
		"5957970" "6026567" "6212434" ₎ .PN.		
-	0	607/\$.ccls. and (lumen with channel with (sub adj channel))	USPAT;	2003/03/20 19:19
			EPO; JPO;	
			DERWENT	
-	2	607/\$.ccls. and (channel with (sub adj channel))	USPAT;	2003/03/20 19:26
			EPO; JPO;	
			DERWENT	
-	0	600/\$.ccls. and ((wire adj bond) with (ball adj bond))	USPAT;	2003/03/20 19:28
			EPO; JPO;	
			DERWENT	
-	2	600/\$.ccls. and (((retaining adj member) or clip) with solder)	USPAT;	2003/03/20 19:30
			EPO; JPO;	
			DERWENT	
-	5	600/\$.ccls. and (wire with ball with bond)	USPAT;	2003/03/20 19:28
			EPO; JPO;	
			DERWENT	
-	944	(((retaining adj member) or clip) with solder)	USPAT;	2003/03/20 19:30
			EPO; JPO;	
			DERWENT	
-	2	5207103.pn.	USPAT;	2003/03/21 14:21
			EPO; JPO;	
			DERWENT	
-	16	("3397278" "3951707" "4121334" "4261086" "4420790"	USPAT	2003/03/21 14:07
		"4426768" "4513348" "4517622" "4618397" "4672354"		
		"4773972" "4815472" "4831492" "4838088" "4881410"		
		"5113868" ₎ .PN.		
-	10	5207103.URPN.	USPAT	2003/03/21 14:09
-	5	(600/\$.ccls, 204/403.1.ccls) and ((sensor or electrode) with substrate)	USPAT;	2003/03/21 14:27
		and ((substrate with (shape or body)) same ((opposing or opposite) with	EPO; JPO;	
		(electrical or contact or lead)))	DERWENT	
	102	4559951.URPN.	USPAT	2003/03/21 15:00

-	25	600/372-373,377.ccls. and ((opposite or opposing or arm or section)	USPAT;	2003/03/21 17:11
		with (contact or pad) with electrical)	EPO; JPO;	
			DERWENT	
_	2	600/\$.ccls, and (catheter or tube) and ((lumen or channel) same ((lead	USPAT;	2003/03/21 15:10
		or wire or cable) with (groove or embedded)) same ((sensor or	EPO; JPO;	
		transducer, with pressure))	DERWENT	
_	2	600/\$.ccls, and (substrate same (top with (sensor or transducer)) same	USPAT;	2003/03/21 15:31
		(side with circuit))	EPO; JPO;	
			DERWENT	